

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	48	(US-20030046583-\$ or US-20050125520-\$ or US-20040218582-\$ or US-20030076829-\$ or US-20030163729-\$ or US-20040059812-\$ or US-20050050377-\$ or US-20040081166-\$ or US-20040044891-\$ or US-20030097588-\$ or US-20060031439-\$ or US-20040117624-\$).did. or (US-6990080-\$ or US-6205117-\$ or US-6859463-\$ or US-6061735-\$ or US-6763013-\$ or US-6697325-\$ or US-7152105-\$ or US-7080141-\$ or US-7035933-\$ or US-6954449-\$ or US-7013395-\$).did. or (EP-427228-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 11:21
S2	1	S1 and (gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 11:21
S3	153	@ad<"20031203" and "709"/\$3.ccls. and gaussian	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 11:21
S4	1	@ad<"20031203" and 709/204.ccls. and gaussian	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 11:22
S7	0	@ad<"20031203" and (gaussian adj distribution) with (graph or node or cluster) with topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:29
S8	0	@ad<"20031203" and (gaussian adj distribut\$4) with (graph or node or cluster) with topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:29
S9	1	@ad<"20031203" and (gaussian adj distribut\$4) with topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:29

EAST Search History

S10	266	@ad<"20031203" and (gaussian adj distribution) with (graph or node or cluster)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:30
S11	2	@ad<"20031203" and (gaussian adj distribution) with (graph or node or cluster) and "709"/\$3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:31
S12	9	@ad<"20031203" and (gaussian adj distribution) with (graph or node or cluster) and topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:37
S13	159	@ad<"20031203" and ((topology or graph) near5 (distribut\$5 or evolv\$5 or trend\$5) near5 gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:38
S14	15	@ad<"20031203" and ((topology or graph or distribut\$5) near5 (evolv\$5 or trend\$5) near5 gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:40
S16	1	@ad<"20031203" and ("709"/\$3.ccls. and (evolv\$5 or trend\$5) near5 gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:40
S17	1	(@ad<"20031203" or @rlad<"20031203") and ("709"/\$3.ccls. and (evolv\$5 or trend\$5) near5 gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:40
S18	1	(@ad<"20031203" or @rlad<"20031203") and ("709"/\$3.ccls. and (evolv\$5 or trend\$5) near5 gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:40
S20	1	(@ad<"20041203" or @rlad<"20031203") and ("709"/\$3.ccls. and (evolv\$5 or trend\$5) near5 gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:40
S21	68	(@ad<="20031203" or @rlad<="20031203") and "709"/\$3.ccls. and gaussian near5 distribut\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 13:11

EAST Search History

S22	344	(@ad<="20031203" or @rlad<="20031203") and "709"/\$3. ccls. and ((gaussian or uniform) near3 distribut\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:41
S23	16	(@ad<="20031203" or @rlad<="20031203") and "709"/\$3. ccls. and (topology near3 (tune or tuner or tuning or reccomend or reccomendation or rearrang\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:46
S24	77	(@ad<="20031203" or @rlad<="20031203") and "709"/\$3. ccls. and (topology near3 (optimiz\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:45
S25	3	(@ad<="20031203" or @rlad<="20031203") and "709"/\$3. ccls. and (topology near3 (optimiz\$5 or tweak\$5)) with (distribut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:45
S26	5	(@ad<="20031203" or @rlad<="20031203") and "709"/\$3. ccls. and (topology near3 (tune or tuner or tuning or reccomend or reccomendation or rearrang\$5 or optimiz\$5 or tweak\$5)) with distribut\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:46

EAST Search History

S27	43	(US-20060031439-\$ or US-20050125520-\$ or US-20050050377-\$ or US-20040218582-\$ or US-20040117624-\$ or US-20040081166-\$ or US-20040059812-\$ or US-20040044891-\$ or US-20030163729-\$ or US-20030097588-\$ or US-20030076829-\$ or US-20030046583-\$ or US-20030018637-\$ or US-20040103211-\$ or US-20040059789-\$ or US-20020032765-\$ or US-20020029268-\$ or US-20050021590-\$ or US-20010027479-\$).did. or (US-7013395-\$ or US-7152105-\$ or US-7080141-\$ or US-7035933-\$ or US-6990080-\$ or US-6763013-\$ or US-6954449-\$ or US-6859463-\$ or US-6697325-\$ or US-6205117-\$ or US-6061735-\$ or US-5839105-\$ or US-6263334-\$ or US-6601049-\$ or US-6490571-\$ or US-6975628-\$ or US-6901453-\$ or US-6760762-\$ or US-6714217-\$ or US-6640239-\$ or US-6618752-\$ or US-6374289-\$ or US-7206289-\$).did. or (EP-427228-\$).did.	US-PGPUB; USPAT; EPO	AND	ON	2007/12/03 12:46
S28	9	S27 and (gaussian or gauss\$5 or normal\$5 or random\$5 or uniform\$5) near5 distribut\$6	US-PGPUB; USPAT; EPO	AND	ON	2007/12/03 12:48
S29	3	(@ad<="20031203" or @rlad<="20031203") and "709"/\$3. ccls. and (ad-hoc or adhoc or cluster) same gaussian	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 13:12
S30	30	(@ad<="20031203" or @rlad<="20031203") and "709"/\$3. ccls. and (ad-hoc or adhoc or cluster) and gaussian	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 13:38
S31	68	(@ad<="20031203" or @rlad<="20031203") and "709"/\$3. ccls. and (graph or topology or network or node or agent) near5 (uniform\$3 or gaussian) near2 distribut\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:04

EAST Search History

S32	2215	(@ad<="20031203" or @rlad<="20031203") and (topology or node or agent) near3 (uniform\$3 or gaussian) near2 distribut\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:04
S33	2082	(@ad<="20031203") and (topology or node or agent) near3 (uniform\$3 or gaussian) near2 distribut\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:04
S34	122	(@ad<="20031203") and (topology or node) near2 (uniform\$3 or gaussian) near2 distribut\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:15
S35	86	(@ad<="20031203") and (topology or node) near2 (uniform\$3 or gaussian) near2 distribut\$6 and ((uniform or gaussian) near4 distribu\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:24
S36	6	(@ad<="20031203") and "709"/\$3. ccls. and (mak\$5 or creat\$5 or evolv\$5 or form\$5) near3 (uniform or uniformly or gaussian) near2 (distribut\$5 or arrangement or topology)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:38
S37	427	(@ad<="20031203") and "709"/\$3. ccls. (uniform or uniformly or gaussian) near2 (distribut\$5 or arrangement or topology)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:38
S38	0	(@ad<="20031203") and "709"/\$3. ccls. (uniform or uniformly or gaussian) near2 (distribut\$5 or arrangement) adj topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:38
S39	2	(@ad<="20031203") and "709"/\$3. ccls. (uniform or uniformly or gaussian) near2 (distribut\$5 or arrangement) near3 topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:39
S40	0	(@ad<="20031203") and "709"/\$3. ccls. (uniform or uniformly or gaussian) near2 topology with (ad-hoc or adhoc or MANET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:40

EAST Search History

S41	0	(@ad<="20031203") and "709"/\$3. ccls. (uniform or uniformly or gaussian) near2 (topology or distribut\$6) with (ad-hoc or adhoc or MANET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:40
S42	0	(@ad<="20031203") and "709"/\$3. ccls. (uniform or uniformly or gaussian) near5 (topology or distribut\$6) with (ad-hoc or adhoc or MANET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:40
S43	0	(@ad<="20031203") and "709"/\$3. ccls. (uniform or uniformly or gaussian) near5 (topology or distribut\$6) same (ad-hoc or adhoc or MANET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:40
S44	0	(@ad<="20031203") and "709"/\$3. ccls. and (uniform or uniformly or gaussian) near5 (topology or distribut\$6) same (ad-hoc or adhoc or MANET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:40
S46	52	(@ad<="20031203") and "709"/\$3. ccls. and (uniform or uniformly or gaussian) near3 (topology or distribut\$6) near3 (node or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:07
S48	76	(@ad<="20031203") and "709"/\$3. ccls. and (ideal or desire or desirable or preferrable or preferred) near4 (topology or ((network or node) adj distribut\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:33
S49	5	S48 and (gaussian or even\$4 or uniform\$5 or (bell adj curve)) adj distribut\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:15
S50	6	S48 and (gaussian or even\$4 or uniform\$5 or (bell adj curve)) near3 distribut\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:17
S54	598	(@ad<="20031203") and "709"/\$3. ccls. and (ideal or desire or desirable or preferrable or preferred) near3 (topology or distribut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:17
S56	24	S54 and (gaussian or evenly or even or uniform\$5 or (bell adj curve)) near3 distribut\$5 with (node or topology or graph or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:24

EAST Search History

S57	226	(@ad<="20031203") and "709"/\$3. ccls. and (MANET or "ad-hoc network")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:33
S58	102	(@ad<="20031203") and "709"/\$3. ccls. and (MANET or "ad-hoc network") and (node or network) near3 distribut\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:34
S59	4	(@ad<="20031203") and "709"/\$3. ccls. and (MANET or "ad-hoc network") and (node or network) near3 distribut\$5 near4 (even or evenly or uniform\$5 or gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:35
S60	64	(@ad<="20031203") and "709"/\$3. ccls. and (MANET or "ad-hoc network") and (node or network) near3 location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:35
S61	2	(@ad<="20031203") and "709"/\$3. ccls. and (MANET or "ad-hoc network") and (node or network) near3 location near3 (uniform\$5 or distribut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:52
S62	0	(@ad<="20031203") and "709"/\$3. ccls. and (uniform\$4 near3 (node or agent or topology) near3 density)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:54
S63	5	(@ad<="20031203") and "709"/\$3. ccls. and (uniform\$4 adj density)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:55
S64	8	(@ad<="20031203") and "709"/\$3. ccls. and ((uniform\$4 or constant or consistent) adj density)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 17:12
S65	4	hanson, james.in. and whalley, ian. in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 17:13
S66	1	("IBM".as. or "International Business Machines".as.) and (topology adj tun\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 17:13